



HPVA LABORATORIES  
42777 Trade West Drive, Sterling, VA 20166



# Certificate of Flame Spread Compliance

## States Industries

**29545 E Enid Road**  
**Eugene, OR 97402**

HPVA Laboratories recognizes this mill's production as certified to meet the specified flame spread and smoke developed index class designations stated in this certificate. These class designations are based on those defined by the International Code Council (ICC) model building codes and the National Fire Protect Association (NFPA) Life Safety Code, NFPA 101.

Class*	Flame Spread Index (FSI)	Smoke Developed Index (SDI)
A	0 - 25	0 - 450
B	26 - 75	0 - 450
C	76 - 200	0 - 450

\*Class A, B, and C correspond to I, II, and III, respectively, in other historical codes such as UBC and BOCA.

The products listed in this certificate, as defined by the facilities' Quality Control Manual, may now carry the HPVA Laboratories certification label. Certification is granted to this facility based on third party audited conformance and commitment to the quality control procedures necessary to ensure production meets the respective class designation requirements, as well as confirmation through semi-annual testing of each product type to the ASTM E84 standard (equivalent to UL 723 and NFPA 255).

Effective date of certification:

**June 5<sup>th</sup>, 2017**

Date of Re-Issue:

**July 29<sup>th</sup>, 2019**



HPVA LABORATORIES  
TESTING AND CERTIFICATION SERVICES  
1825 Michael Faraday Drive Reston, VA www.hpva.org



# Certificate of Flame Spread Compliance (continued)

States Industries – Eugene, OR

## Scope of Certification

Product Types	FSI/SDI Class Designation
5/32" to 3/8"-thick pre-finished, grooved wall panel (hardwood plywood – veneer core)	C
1/4"-thick painted/primed, grooved wall panel (medium density fiberboard)	C

Effective date of certification:

**June 5<sup>th</sup>, 2017**

Date of Re-Issue:

**July 29<sup>th</sup>, 2019**

**Josh Hosen**

Director of Certification Programs  
HPVA Laboratories